

1 5 8 12 Gauge Metal Strut Channel Unistrut Galvanized

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Supply Ability:
- 17 pieces \$2.00 - \$4.00/pieces in bundles


China

ISO9001

P4141 HDG 2.5mm

ΗT

10 Metric Ton/Metric Tons per Month



Product Specification

 Standard: 	AiSi, ASTM, Bs, DIN, GB, JIS
• Grade:	Carbon Steel
• Shape:	C Channel
Application:	Construction, Lifting Fittings
Perforated Or Not:	Is Perforated
• Tolerance:	±5%
Processing Service:	Bending, Welding, Punching, Decoiling, Cutting
• Finish:	Pre-galvanized Or HDG Or EG
• Material:	Low Carton Steel Or SS304 Or SS316
Packing:	Bundle
• MOQ:	500pcs
• Payment:	T/T
Delivery Time:	20-30DAYS
• Port:	Shanghai

Product Description

- 12 Gauge Steel Unistrut Channel
- 1)Size:41mm*21mm or 41mm*41mm back to back 41*41mm, 41*62mm,41*82mm,and so on 2)Thickness:1.5mm, 1.8mm,1.9mm,2.0mm, 2.3mm,2.5mm ,2.7mm
- 3)Length:10 and 20 feet(3m,5.8m,6m),special length are available upon request
- 4)Holes:28*14mm,18*9mm,30*33mm etc
- 5)Material :Carbon steel or SS304 or SS316
- 6)Surface Treatment:HDG(hot dipped galvanized), Pre-galvanized, Cold-galvanizing(yellow or white), powder coating







