



316 Stainless Steel Slotted Strut Channel

Basic Information

- Place of Origin: Jiangsu, China
- Brand Name: HENG TONG
- Certification: ISO9001:2008
- Model Number: 304 stainless steel channel
- Minimum Order Quantity: 500 meters
- Price: \$2.00 - \$3.00/meters
- Packaging Details: packed in Bundles and strips or by wooden pallets
- Supply Ability: 20000 Piece/Pieces per Month




Product Specification

- Standard: AISI, ASTM, Bs, DIN, GB, JIS
- Grade: Carbon Steel
- Shape: C Channel
- Application: Steel Structure
- Perforated Or Not: Not Perforated
- Product Name: 304 Stainless Steel Channel
- Processing: Cold Bending/Roll Forming
- Samples Days: 3-5 Days
- Dimensions: 41*21, 41*25, 41*35, 41*41, 41*62, 41*82
- Material: Low-carbon Steel
- Length: Normal 3m Or 6m, Other Lengths Are Available
- Surface Treatment: PG, Powder Coated, EG, HDG
- Technique: Cold Bending Steel Channel
- Thickness: 1.5mm, 2.0mm, 2.5mm, 3.0mm



More Images



Product Description

304 stainless steel channel

Strut channels, also known as structural or metal framing channels, are versatile components used in various construction and industrial applications.

These channels are typically made of durable materials such as steel or aluminum, providing strength and stability. Strut channels feature a unique U-shaped design with inward-facing lips that allow for easy installation and secure attachment of accessories.

Brief Description:

Product name: 304 stainless steel channel

Channel sizes: 41*21mm, 41*25mm, 41*35mm, 41*41mm, 41*62mm, 41*82mm, back to back 41*21mm, 41*25mm, 41*35mm, 41*41mm, 41*62mm, 41*82mm.

Length: Standard length is 3m or 6m, other lengths are acceptable.

Thickness: 1.5mm, 2.0mm, 2.5mm, or others according to your requirements.

Style: Plain or Slotted.


Slots: 76*10.5mm with 100mm on center, 28*14 with 50 on center, 18*9 or 30*13 with 50 on center, 62.5*13.5 with 100 on center, 30*11 with 50 on center

Material: Carbon steel Q235 OR Stainless Steel SS304 or SS316

304 stainless steel channel catalog as follows:

P41 系列支架及其组合 P41 SERIES CHANNELS AND COMBINATIONS

标准系列 STANDARD SERIES



Slotted Series and Light Channel Series for 304 stainless steel channel

轻型支架系列 LIGHT CHANNEL SERIES

P2525



1.5mm thickness



P2525-T



Slots are 32x8.5
50 on center

P3232



2mm thickness



P3232-T



Slots are 32x8.5
50 on center



304 stainless steel channel Combinations:

P41 系列支架及其组合 P41 SERIES CHANNELS AND COMBINATIONS




P4141 复合支架 P4141 Channel Combinations

P4141A





M=2110N.m

P4141E




M=3600N.m

P4141B





M=2110N.m

P4141F




M=3710N.m

P4141C




M=1800N.m

P4141G




M=4240N.m

P4141D



M=4750N.m

P4141H



M=740N.m

说明: 支架的最大均布荷载按下式计算

Note: Maximum uniformly distributed load of channel to be calculated per the following formula:

$$W_{\max} = \frac{8 M}{L}$$

W_{max} 最大均布荷载(KN)
Max.Uniform Load
M 允许力矩(N.m)
Allowable Moment
L 长度(m)
Length


304 stainless steel

channel Application:

c channel is used to mount, brace, support, and connect lightweight structural loads in building construction. These include pipes, electrical and data wire, mechanical systems such as ventilation, air conditioning, and other mechanical systems. Strut channel is also used for other applications that require a strong framework, such as workbenches, shelving systems,

equipment racks, etc. Specially made sockets are available to tighten nuts, bolts etc. inside the channel, normal sockets are unable to fit through the opening.

304 stainless steel channel Details:





Packaging & Shipping

By sea	Shanghai port, Ningbo port or others
By air	Shanghai Pudong port
By express	DHL, TNT, FedEx, UPS etc

304 stainless steel channel Engineering Projects:





Samples

Lead time: 3-5 days for quantity in stock.

Cost: for free, freight should be borne by customers.

Other Related products for 304 stainless steel channel



Company Information

Wuxi Hengtong Metal Framing System Co., Ltd(HENGTONG) is one of the well established firms in Wuxi for the past 20 years meeting the requirements of Pipe Supporting Systems. We have a good contact with domestic and foreign manufacturers and suppliers producing and supplying original branded pipe supporting materials. It provide kinds of quality and original products for clients. HENGTONG manufacture P41 series strut channels, U shape channels, angle steels, channel fittings, brackets, cantilever arms, beam clamps, pipe clamps etc. Our factory is located in Wuxi which is about 130km from Shanghai port, which is very convenient to deliver goods.

WE ARE A TEAM TO SUPPORT YOU!



Why choose us?

1. Customized service is available according to the customers' requirement
2. OEM is available

3. High quality & competitive price

4. Good after-sale service .

For more information, please feel free to contact me as follows:

Business Card

Company: Wuxi Hengtong Metal Framing System Co., Ltd
Address: No.19 Nanhu Road, Nanquan Town, Wuxi 214128, China
Contact: Vicky
Mob: +86-138 1228 2938
Tel: +86-510-6878 3383
Fax: +86-510-68783390
Web: <http://www.htstrut.com>



Wuxi Hengtong Metal Framing System Co., Ltd.



+86 15251535252



elinglu@htstrut.com



channel-fittings.com

No 6 East Dingxiang Road Hudai Industry Zone Wuxi City 214161 China